References

- [1] Bellman R., Introduction to Matrix Analysis, MacGraw-Hill, London, (1960).
- [2] Bertsimas D., An analytic approach to a general class of G/G/s queueing systems. Operations Research 38, 139-155, (1990).
- [3] Chao, X., Pinedo, M. and Shaw, D., An Assembly Network of Queues with Product Form Solution. *Journal of Applied Probability*, 33, 858-869, (1996).
- [4] Chao, X., Miyazawa, M., Serfozo, R., and Takada. H., Necessary and sufficient conditions for product form queueing networks. *Queueing Systems*, Vol 28, 377-401, (1998).
- [5] Le Boudec, J.Y., Steady-state probabilities of the PH/PH/1 queue. Queueing Systems 3, 73-88, (1988).
- [6] Luh, H. Matrix product-form solutions of stationary probabilities in tandem queues. *Journal of the Operations Research* **42**-4, 436-656, (1999).
- [7] Liu, H. S. Invariant Subspace of Solving $C_k/C_m/1$, Master thesis National Chengchi University. (2004)
- [8] Neuts, M.F. Matrix-Geometric Solutions in Stochastic Models. The John Hopkins University Press, (1981).
- [9] Neuts, M.F. and Takahashi, Y. Asymptotic behavior of the stationary distributions in the GI/PH/c queue with heterogeneous servers. Z. Wahrscheinlichkeitstheorie verw. Gebiete, 57, 441-452, (1988).

[10] Wang, H. S. A New Approach to Analyze Stationary Probability Distribution of a PH/PH/1/N Queue, Master thesis National Chengchi University. (2002)

