

## 參考文獻

- Anastasi A, Erspamer V, Bucci M (1971) Isolation and structure of bombesin and alytesin, 2 analogous active peptides from the skin of the European amphibians Bombina and Alytes. *Experientia* 27(2):166-167.
- Andrew D, Craig AD (2001) Spinothalamic lamina I neurons selectively sensitive to histamine: a central neural pathway for itch. *Nat Neurosci* 4(1):72-77.
- Bailey PL, Rhondeau S, Schafer PG, Lu JK, Timmins BS, Foster W, Pace NL, Stanley TH (1993) Dose-response pharmacology of intrathecal morphine in human volunteers. *Anesthesiology* 79(1):49-59.
- Barrett AC, Cook CD, Turner JM, Roach EL, Syvanthong C, Picker MJ (2002) Sex and rat strain determine sensitivity to kappa opioid-induced antinociception. *Psychopharmacology (Berl)* 160(2):170-81.
- Bergasa NV (2008) Update on the treatment of the pruritus of cholestasis. *Clin Liver Dis* 12(1):219-234.
- Bossut D, Frenk H, Mayer DJ (1988) Is substance P a primary afferent neurotransmitter for nociceptive input? II. Spinalization does not reduce and intrathecal morphine potentiates behavioral responses to substance P. *Brain Res* 455(2):232-239.
- Butelman ER, Ko MC, Traynor JR, Vivian JA, Kreek MJ, Woods JH (2001) GR89,696: a potent kappa-opioid agonist with subtype selectivity in rhesus monkeys. *J Pharmacol Exp Ther* 298(3):1049-1059.
- Butelman ER, Negus SS, Ai Y, de Costa BR, Woods JH (1993) Kappa opioid antagonist effects of systemically administered nor-binaltorphimine in a thermal antinociception assay in rhesus monkeys. *J Pharmacol Exp Ther* 267(3):1269-1276.
- Chaney MA (1995) Side effects of intrathecal and epidural opioids. *Can J Anaesth*

42(10):891-903.

Chen X, McClatchy DB, Geller EB, Tallarida RJ, Adler MW (2005) The dynamic relationship between mu and kappa opioid receptors in body temperature regulation. *Life Sci* 78(4):329-33.

Clark JA, Liu L, Price M, Hersh B, Edelson M, Pasternak GW (1989) Kappa opiate receptor multiplicity: evidence for two U50,488-sensitive kappa 1 subtypes and a novel kappa 3 subtype. *J Pharmacol Exp Ther* 251(2):461-468.

Cowan A, Gmerek DE (1986) In vivo studies on kappa opioid receptors. *Trends Pharmacol Sci* 7:69-72.

Cousins MJ, Mather LE (1984) Intrathecal and epidural administration of opioids. *Anesthesiology* 61(3):276-310.

Davidson S, Zhang X, Yoon CH, Khasabov SG, Simone DA, Giesler GJ Jr (2007) The itch-producing agents histamine and cowhage activate separate populations of primate spinothalamic tract neurons. *J Neurosci* 27(37):10007-10014.

De Castro-Costa M, Gybels J, Kupers R, Van Hees J (1987) Scratching behaviour in arthritic rats: a sign of chronic pain or itch? *Pain* 29(1):123-131.

Drzezga A, Darsow U, Treede RD, Siebner H, Frisch M, Munz F, Weilke F, Ring J, Schwaiger M, Bartenstein P (2001) Central activation by histamine-induced itch: analogies to pain processing: a correlational analysis of O-15 H<sub>2</sub>O positron emission tomography studies. *Pain* 92(1-2):295-305.

Frenk H, Bossut D, Urca G, Mayer DJ (1988) Is substance P a primary afferent neurotransmitter for nociceptive input? I. Analysis of pain-related behaviors resulting from intrathecal administration of substance P and 6 excitatory compounds. *Brain Res* 455(2):223-231.

Ganesh A, Maxwell LG (2007) Pathophysiology and management of opioid-induced pruritus. *Drugs* 67(16):2323-2333.

- Glick SD, Maisonneuve IM, Raucci J, Archer S (1995) Kappa opioid inhibition of morphine and cocaine self-administration in rats. *Brain Res* 681(1-2):147-152.
- Gmerek DE, Cowan A (1983a) An animal model for preclinical screening of systemic antipruritic agents. *J Pharmacol Methods* 10(2):107-112.
- Gmerek DE, Cowan A (1983b) Studies on bombesin-induced grooming in rats. *Peptides* 4(6):907-913.
- Gmerek DE, Dykstra LA, Woods JH (1987) Kappa opioids in rhesus monkeys. III. Dependence associated with chronic administration. *J Pharmacol Exp Ther* 242(2):428-436.
- Gogas KR, Cho HJ, Botchkina GI, Levine JD, Basbaum AI (1996) Inhibition of noxious stimulus-evoked pain behaviors and neuronal fos-like immunoreactivity in the spinal cord of the rat by supraspinal morphine. *Pain* 65(1):9-15.
- Gogas KR, Presley RW, Levine JD, Basbaum AI (1991) The antinociceptive action of supraspinal opioids results from an increase in descending inhibitory control: correlation of nociceptive behavior and c-fos expression. *Neuroscience* 42(3):617-628.
- Goldstein A, Naidu A (1989) Multiple opioid receptors: ligand selectivity profiles and binding site signatures. *Mol Pharmacol* 36(2):265-272.
- Heishman SJ, Stitzer ML, Bigelow GE, Liebson IA (1989) Acute opioid physical dependence in postaddict humans: naloxone dose effects after brief morphine exposure. *J Pharmacol Exp Ther* 248(1):127-134.
- Hiramatsu M, Inoue K, Ambo A, Sasaki Y, Kameyama T (2001) Long-lasting antinociceptive effects of a novel dynorphin analogue, Tyr-D-Ala-Phe-Leu-Arg psi (CH<sub>2</sub>NH) Arg-NH<sub>2</sub>, in mice. *Br J Pharmacol* 132(8):1948-1956.
- Hsieh JC, Hägermark O, Ståhle-Bäckdahl M, Ericson K, Eriksson L, Stone-Elander S, Ingvar M (1994) Urge to scratch represented in the human cerebral cortex during

- itch. *J Neurophysiol* 72(6):3004-3008.
- Ikoma A, Steinhoff M, Ständer S, Yosipovitch G, Schmelz M (2006) The neurobiology of itch. *Nat Rev Neurosci* 7(7):535-547.
- Inan S, Cowan A (2006) Nalfurafine, a kappa opioid receptor agonist, inhibits scratching behavior secondary to cholestasis induced by chronic ethynylestradiol injections in rats. *Pharmacol Biochem Behav* 85(1):39-43.
- Inoue M, Shimohira I, Yoshida A, Zimmer A, Takeshima H, Sakurada T, Ueda H (1999) Dose-related opposite modulation by nociceptin/orphanin FQ of substance P nociception in the nociceptors and spinal cord. *J Pharmacol Exp Ther* 291(1):308-313.
- Jensen RT, Battey JF, Spindel ER, Benya RV (2008) International Union of Pharmacology. LXVIII. Mammalian bombesin receptors: Nomenclature, distribution, pharmacology, signaling, and functions in normal and disease states. *Pharmacol Rev* 60:1-42.
- Jin CL, Yang LX, Wu XH, Li Q, Ding MP, Fan YY, Zhang WP, Luo JH, Chen Z (2005) Effects of carnosine on amygdaloid-kindled seizures in Sprague-Dawley rats. *Neuroscience* 135(3):939-947
- Kamei J, Nagase H (2001) Norbinaltorphimine, a selective kappa-opioid receptor antagonist, induces an itch-associated response in mice. *Eur J Pharmacol* 418(1-2): 141-145.
- Kishioka S, Paronis C A, Woods J H (2000) Acute dependence on, but not tolerance to heroin and morphine as measured by respiratory effects in rhesus monkeys. *Eur J Pharmacol* 398(1):121-130.
- Kjellberg F, Tramèr MR (2001) Pharmacological control of opioid-induced pruritus: a quantitative systematic review of randomized trials. *Eur J Anaesthesiol* 18(6):346-357.

Ko MC, Butelman ER, Traynor JR, Woods JH (1998) Differentiation of kappa opioid agonist-induced antinociception by naltrexone apparent pA2 analysis in rhesus monkeys. *J Pharmacol Exp Ther* 285(2):518-526.

Ko MC, Husbands SM (2009) Effects of atypical  $\kappa$ -opioid receptor agonists on intrathecal morphine-induced itch and analgesia in primates. *J Pharmacol Exp Ther* 328(1):193-200.

Ko MC, Johnson MD, Butelman ER, Willmont KJ, Mosberg HI, Woods JH (1999a) Intracisternal nor-binaltorphimine distinguishes central and peripheral kappa-opioid antinociception in rhesus monkeys. *J Pharmacol Exp Ther* 291(3):1113-1120.

Ko MC, Johnson MD, Choo KS, Song MS, Chang D, Naughton NN, Woods JH (1999b) An experimental itch model in rats: Characterization of intracisternal morphine-induced scratching and antinociception. *FASEB J* 13:622.611.

Ko MC, Lee H, Song MS, Sobczyk-Kojiro K, Mosberg HI, Kishioka S, Woods JH, Naughton NN (2003a) Activation of  $\kappa$ -opioid receptors inhibits pruritus evoked by subcutaneous or intrathecal administration of morphine in monkeys. *J Pharmacol Exp Ther* 305:173–179.

Ko MC, Lee H, Traynor JR, Woods JH, Naughton NN (2003b) Differential antinociceptive effects of intrathecally administered opioid agonists selective for mu, kappa and delta opioid receptors in monkeys. *Drug Alcohol Depend* 69 (Suppl):87.

Ko MC, Naughton NN (2000) An experimental itch model in monkeys : Characterization of intrathecal morphine-induced scratching and antinociception. *Anesthesiology* 92(3):795–805.

Ko MC, Naughton NN (2009) Antinociceptive effects of nociceptin/orphanin FQ administered intrathecally in monkeys. *J Pain* 10(5):509-516.

Ko MC, Song MS, Edwards T, Lee H, Naughton NN (2004) The role of central mu opioid receptors in opioid-induced itch in primates. *J Pharmacol Exp Ther*

310(1):169-176.

- Krajnik M, Zylicz Z (2001) Understanding pruritus in systemic disease. *J Pain Symptom Manage* 21(2):151-168.
- Kulkosky PJ, Gibbs J, Smith GP (1982) Behavioral effects of bombesin administration in rats. *Physiol Behav* 28(3):505-512.
- Kuraishi Y, Yamaguchi T, Miyamoto T (2000) Itch-scratch responses induced by opioids through central mu opioid receptors in mice. *J Biomed Sci* 7(3):248-252.
- Kuzmin AV, Semenova S, Gerrits MA, Zvartau EE, Van Ree JM (1997) Kappa-opioid receptor agonist U50,488H modulates cocaine and morphine self-administration in drug-naive rats and mice. *Eur J Pharmacol* 321(3):265-271.
- Lee H, Naughton NN, Woods JH, Ko MC (2003) Characterization of scratching responses in rats following centrally administered morphine or bombesin. *Behav Pharmacol* 14(7):501-508.
- Lee H, Naughton NN, Woods JH, Ko MC (2007) Effects of butorphanol on morphine-induced itch and analgesia in primates. *Anesthesiology* 107(3):478-485.
- Makulska-Nowak HE, Gumułka SW, Lipkowski AW, Rawa MA (2001) Effects of endomorphin-2 on arterial blood pressure and pain threshold in spontaneously hypertensive rats and modification of these effects by beta-funaltrexamine and nor-binaltorphimine. *Life Sci* 69(5):581-589.
- Manenti L, Tansinda P, Vaglio A (2009) Uraemic pruritus: clinical characteristics, pathophysiology and treatment. *Drugs* 69(3):251-263.
- Margolis EB, Lock H, Chefer VI, Shippenberg TS, Hjelmstad GO, Fields HL (2006) Kappa opioids selectively control dopaminergic neurons projecting to the prefrontal cortex. *Proc Natl Acad Sci U S A* 103(8):2938-2942
- McNally GP, Akil H (2002) Role of corticotropin-releasing hormone in the amygdala and bed nucleus of the stria terminalis in the behavioral, pain modulatory, and

endocrine consequences of opiate withdrawal. *Neuroscience* 112(3):605-617.

Miaskowski C, Taiwo YO, Levine JD (1991) Contribution of supraspinal mu- and delta-opioid receptors to antinociception in the rat. *Eur J Pharmacol* 205(3):247-252.

Minami M, Satoh M (1995) Molecular biology of the opioid receptors: structures, functions and distributions. *Neurosci Res* 23(2):121-145.

Mochizuki H, Tashiro M, Kano M, Sakurada Y, Itoh M, Yanai K (2003) Imaging of central itch modulation in the human brain using positron emission tomography. *Pain* 105(1-2):339-346.

Morgan MM, Fossum EN, Stalding BM, King MM (2006) Morphine antinociceptive potency on chemical, mechanical, and thermal nociceptive tests in the rat. *J Pain* 7(5):358-366.

Moochhala SM, Sawynok J (1984) Hyperalgesia produced by intrathecal substance P and related peptides: desensitization and cross desensitization. *Br J Pharmacol* 82(2):381-388.

Moody TW, Merali Z (2004) Bombesin-like peptides and associated receptors within the brain: distribution and behavioral implications. *Peptides* 25(3):511-520.

Negus SS, Gatch MB, Mello NK, Zhang X, Rice K (1998) Behavioral effects of the delta-selective opioid agonist SNC80 and related compounds in rhesus monkeys. *J Pharmacol Exp Ther* 286(1):362-375.

O'Donohue TL, Massari VJ, Pazoles CJ, Chronwall BM, Shults CW, Quirion R, Chase TN, Moody TW (1984) A role for bombesin in sensory processing in the spinal cord. *J Neurosci* 4:2956-2962

Orzechowski RF, Currie DS, Valancius CA (2005) Comparative anticholinergic activities of 10 histamine H1 receptor antagonists in two functional models. *Eur J Pharmacol* 506(3):257-264

Osifo NG (1989) Mechanisms of enhanced pruritogenicity of chloroquine among

- patients with malaria: a review. *Afr J Med Med Sci* 18(2):121-129.
- Palmer CM, Emerson S, Volgoropolous D, Alves D (1999) Dose-response relationship of intrathecal morphine for postcesarean analgesia. *Anesthesiology* 90:437-444
- Pan ZZ (1998) Mu-Opposing actions of the kappa-opioid receptor. *Trends Pharmacol Sci* 19(3):94-98
- Panula P, Hadjiconstantinou M, Yang HY, Costa E (1983) Immunohistochemical localization of bombesin/gastrin-releasing peptide and substance P in primary sensory neurons. *J Neurosci* 3:2021-2029.
- Raffaelli W, Marconi G, Fanelli G, Taddei S, Borghi GB, Casati A (2006) Opioid-related side-effects after intrathecal morphine: a prospective, randomized, double-blind dose-response study. *Eur J Anaesthesiol* 23(7):605-610.
- Rawal N, Schött U, Dahlström B, Inturrisi CE, Tandon B, Sjöstrand U, Wennhager M (1986) Influence of naloxone infusion on analgesia and respiratory depression following epidural morphine. *Anesthesiology* 64(2):194-201.
- Rothman RB (1992) A review of the role of anti-opioid peptides in morphine tolerance and dependence. *Synapse* 12(2):129-138.
- Sakurada T, Katsuyama S, Sakurada S, Inoue M, Tan-No K, Kisara K, Sakurada C, Ueda H, Sasaki J (1999) Nociceptin-induced scratching, biting and licking in mice: involvement of spinal NK1 receptors. *Br J Pharmacol* 127(7):1712-1718.
- Schmelz M, Schmidt R, Bickel A, Handwerker HO, Torebjork HE (1997) Specific C-receptors for itch in human skin. *J Neurosci* 17:8003–8008.
- Schulz DW, Kalivas PW, Nemeroff CB, Prange AJ Jr (1984) Bombesin-induced locomotor hyperactivity: evaluation of the involvement of the mesolimbic dopamine system. *Brain Res* 304(2):377-382.
- Shannon HE, Lutz EA (2002) Comparison of the peripheral and central effects of the opioid agonists loperamide and morphine in the formalin test in rats.

- Neuropharmacology 42(2):253-261.
- Simmons ML, Chavkin C (1996)  $\kappa$ -Opioid receptor activation of a dendrotoxin-sensitive potassium channel mediates presynaptic inhibition of mossy fiber neurotransmitter release. *Mol Pharmacol* 50(1):80-85.
- Simonin F, Gavériaux-Ruff C, Befort K, Matthes H, Lannes B, Micheletti G, Mattéi MG, Charron G, Bloch B, Kieffer B (1995)  $\kappa$ -Opioid receptor in humans: cDNA and genomic cloning, chromosomal assignment, functional expression, pharmacology, and expression pattern in the central nervous system. *Proc Natl Acad Sci U S A* 92(15):7006-7010.
- Sites BD, Beach M, Gallagher JD, Jarrett RA, Sparks MB, Lundberg CJ (2004) A single injection ultrasound-assisted femoral nerve block provides side effect-sparing analgesia when compared with intrathecal morphine in patients undergoing total knee arthroplasty. *Anesth Analg* 99(5):1539-1543.
- Spanagel R, Herz A, Shippenberg TS (1992) Opposing tonically active endogenous opioid systems modulate the mesolimbic dopaminergic pathway. *Proc Natl Acad Sci U S A* 89(6):2046-2050.
- Stefano GB, Goumon Y, Casares F, Cadet P, Fricchione GL, Rialas C, Peter D, Sonetti D, Guarna M, Welters ID, Bianchi E (2000) Endogenous morphine. *Trends Neurosci* 23(9):436-442.
- Sterious SN, Walker EA (2003) Potency differences for D-Phe-Cys-Tyr-D-Trp-Arg-Thr-Pen-Thr-NH<sub>2</sub> as an antagonist of peptide and alkaloid micro-agonists in an antinociception assay. *J Pharmacol Exp Ther* 304(1):301-309.
- Sun YG, Chen ZF (2007) A gastrin-releasing peptide receptor mediates the itch sensation in the spinal cord. *Nature* 448(7154):700-703.
- Szarvas S, Harmon D, Murphy D (2003) Neuraxial opioid-induced pruritus: a review. *J Clin Anesth* 15(3):234-239.

- Takemori AE, Loh HH, Lee NM (1992) Suppression by dynorphin A-(1-13) of the expression of opiate withdrawal and tolerance in mice. *Eur J Pharmacol* 221(2-3):223-226.
- Terner JM, Lomas LM, Smith ES, Barrett AC, Picker MJ (2003) Pharmacogenetic analysis of sex differences in opioid antinociception in rats. *Pain* 106(3):381-391.
- Thomas DA, Hammond DL (1995) Microinjection of morphine into the rat medullary dorsal horn produces a dose-dependent increase in facial scratching. *Brain Res* 695(2):267-270.
- Thomas DA, Williams GM, Iwata K, Kenshalo DR Jr, Dubner R (1992) Effects of central administration of opioids on facial scratching in monkeys. *Brain Res* 585:315-317.
- Togashi Y, Umeuchi H, Okano K, Ando N, Yoshizawa Y, Honda T, Kawamura K, Endoh T, Utsumi J, Kamei J, Tanaka T, Nagase H (2002) Antipruritic activity of the kappa-opioid receptor agonist, TRK-820. *Eur J Pharmacol* 435(2-3):259-264.
- Tohda C, Yamaguchi T, Kuraishi Y (1997) Intracisternal injection of opioids induces itch-associated response through mu-opioid receptors in mice. *Jpn J Pharmacol* 74(1):77-82.
- Umeuchi H, Togashi Y, Honda T, Nakao K, Okano K, Tanaka T, Nagase H (2003) Involvement of central mu-opioid system in the scratching behavior in mice, and the suppression of it by the activation of kappa-opioid system. *Eur J Pharmacol* 477(1):29-35.
- Wagner JJ, Terman GW, Chavkin C (1993) Endogenous dynorphins inhibit excitatory neurotransmission and block LTP induction in the hippocampus. *Nature* 363(6428):451-454.
- Walker EA, Makhay MM, House JD, Young AM (1994) In vivo apparent pA2 analysis for naltrexone antagonism of discriminative stimulus and analgesic effects of opiate

- agonists in rats. *J Pharmacol Exp Ther* 271(2):959-968.
- Wang JJ, Ho ST, Tzeng JI (1998) Comparison of intravenous nalbuphine infusion versus naloxone in the prevention of epidural morphine-related side effects. *Reg Anesth Pain Med* 23(5):479-484.
- Waxler B, Dadabhoy ZP, Stojiljkovic L, Rabito SF (2005) Primer of postoperative pruritus for anesthesiologists. *Anesthesiology* 103(1):168-178.
- Wikström B, Gellert R, Ladefoged SD, Danda Y, Akai M, Ide K, Ogasawara M, Kawashima Y, Ueno K, Mori A, Ueno Y (2005) Kappa-opioid system in uremic pruritus: multicenter, randomized, double-blind, placebo-controlled clinical studies. *J Am Soc Nephrol* 16(12):3742-3747.
- Zadina JE, Martin-Schild S, Gerall AA, Kastin AJ, Hackler L, Ge LJ, Zhang X (1999) Endomorphins: novel endogenous mu-opiate receptor agonists in regions of high mu-opiate receptor density. *Ann N Y Acad Sci* 897:136-144.
- Zhu Q, Wu DC, Zhou XP, Gong S, Cheng BC, Qin ZH, Reid PF, Yin QZ, Jiang XH (2008) Inhibitory effect of crotoxin on the pain-evoked discharge of neurons in thalamic parafascicular nucleus in rats. *Toxicon* 51(1):102-111.
- Zukin RS, Eghbali M, Olive D, Unterwald EM, Tempel A (1988) Characterization and visualization of rat and guinea pig brain kappa opioid receptors: evidence for kappa 1 and kappa 2 opioid receptors. *Proc Natl Acad Sci U S A* 85(11):4061-4065.