

Contents

Abstract	i
中文摘要	ii
Introduction	1
I Constructions of Hadamard Matrices	7
1 On J_m-Hadamard Matrices	8
1.1 J_m -Hadamard Matrices	9
1.2 Counterexamples	14
2 Further Results on J_m-Hadamard Matrices	17
2.1 Some Properties of J_m -Hadamard Matrices	18
2.2 Hadamard Matrices in J_m -Classes	23
3 On Craigen-de Launey's Constructions of Hadamard Matrices	28
3.1 Generalizations of Craigen's Theorem and of Craigen-Seberry-Zhang's Theorem	30

3.2 Minimum Exponent of Hadamard Matrices Resulting from t Hadamard Matrices	33
II Studies of Forests	39
4 On Enumeration of Plane Forests	40
4.1 A Catalan Identity	42
4.2 Some Results of Leaves	46
4.3 Generalizations of Motzkin-Catalan Identity	50
4.4 Some Riordan Families	53
5 The Chung-Feller Theorem Revisited	56
5.1 A Simple Proof of Chung-Feller Theorem	57
5.2 Bi-color Plane Forests	59
5.3 Semistandard Tableaux and Noncrossing Semiordered Pairs	62
5.4 Motzkin Paths with Flaws and a Labelled Minimum	66
6 Graceful Labellings of Some n-Caterpillars	71
6.1 Graceful Labellings of 2-Caterpillars	73
6.2 Graceful Labellings of (r, m, n) -Caterpillars	78
6.3 n -Partitions with Parameter k	85
6.4 Latin Squares and Graceful Labellings of 2^n -Caterpillars	95
Concluding Remarks	104
Bibliography	107

List of Figures

4.1	Two 6-Dyck paths with flaws symmetric with respect to the x -axis and their common corresponding plane forest of 6 edges	43
4.2	A plane forest of 10 edges with 5 vertices at level one and its two corresponding forests with 10 vertices and 5 components	44
4.3	A plane forest with 4 leaves and its corresponding plane forest with 4 internal vertices.	47
4.4	An illustration for the proof of Theorem 4.2.4.	49
4.5	An illuatration for the proof of Theorem 4.4.1.	55
5.1	3-Dyck paths with k flaws and their corresponding 3-Dyck paths with $k + 1$ flaws for $k = 0, 1, 2$	58
5.2	A bi-color plane tree with 5 edges and its corresponding 5-Dyck paths with 2 flaws	60
5.3	An illustration of the proof of Theorem 5.2.3.	61
5.4	An illustration for the proof of Theorem 5.3.2	64
5.5	Semistandard tableaux of shape 2×3	65
5.6	An illustration for the proof of Theorem 5.3.4	67
5.7	An illustration for the proof of Theorem 5.4.1	68
5.8	An illustration for Corollary 5.4.2	68

5.9	An illustration for the proof of Theorem 5.4.4	70
6.1	A graceful labelling of a 2–caterpillar with the single path of even length.	75
6.2	A graceful labelling of a 2–caterpillar with the single path of odd length.	75
6.3	An illustration for the proof of Lemma 6.1.3.	77
6.4	An illustration for the proof of Theorem 6.1.2.	78
6.5	A graceful labelling of the $(3, 3, 3)$ –caterpillar.	79
6.6	A graceful labelling of the $(4, 3, 3)$ –caterpillar.	80
6.7	A graceful labelling of the $(4, 3, 3)$ –caterpillar by algorithm A'_2 . . .	85
6.8	An illustration for algorithm A_3	91
6.9	An illustration for the proof of Proposition 6.3.11	94
6.10	A graceful labelling of an 8–caterpillar in \mathbb{T}_8	102
6.11	A graceful labelling of an 8–caterpillar not in \mathbb{T}_8	103
6.12	An illustration for the proof of Theorem 6.4.9.	104
6.13	An example of remark.	104