

Reference

- [1] W. W. Adams and E. G. Straus, *Non-Archimedian analytic functions taking the same values at the same points*, Ill. J. Math., **15** (1971), 418–424.
- [2] G. Brosch, *Eindeutigkeitssätze für meromorphe funktionen*, Thesis, Technical University of Aachen, 1989.
- [3] J. Clunie, *On integral and meromorphic functions*, J. London Math. Soc., **36** (1962), 17–27.
- [4] C. T. Chuang and C. C. Yang, *Fixed points and factorization theory of meromorphic functions*, Peking Univ. Press, 1988.
- [5] W. Doeringer, *Exceptional value of differential polynomial*, Pacific J. Math., **98** (1982), 55–62.
- [6] G. Frank and W. Ohlenroth, *Meromorphe funktionen, die mit einer ihrer ableitungen werte teilen*, Complex Variables **6** (1986), 23–37.
- [7] F. Gross, *Factorizatioin of meromorphic functions*, U. S. Government Printing Office, Washington, D. C., 1972.
- [8] G. G. Gundersen, *Meromorphic functions that share three or four values*, J. London Math. Soc., **20** (1979), 457–466.
- [9] G. G. Gundersen, *Meromorphic functions that share finite values with their derivative*, J. Math. Anal. Appl., **75**(1980), 441–446.

- [10] G. G. Gundersen, *Meromorphic functions that share four values*, Transactions of the American Mathematical Society, **277**(2) (1983), 545–567.
- [11] G. G. Gundersen and L. Z. Yang, *Entire functions that share one value with one or two of their derivatives*, J. Math. Anal. Appl., **223** (1998), 88–95.
- [12] W. K. Hayman, *Meromorphic functions*, Clarendon Press, Oxford, 1964.
- [13] D. Hans and S. Gerald, *Zur charakterisierung von polynomen durch ihre Null- und Einsstellen*, Arch. Math., **48** (1987), 337–342.
- [14] G. Jank and N. Terglane, *Meromorphic functions sharing three values*, Math. Pannonica, **2**(1990), 37–46.
- [15] P. Li, *Entire functions that share one value with their linear differential polynomials*, Kodai Math. J., **22** (1999), 446–457.
- [16] P. Li and C. C. Yang, *Uniqueness theorems on entire functions and their derivatives*, J. Math. Anal. Appl., **253** (2001), 50–57.
- [17] Y. Li and J. Qiao, *The uniqueness of meromorphic functions concerning small functions*, Sci. China Ser. A, **43**(6) (2000), 581–590.
- [18] E. Mues, *Meromorphic functions sharing four values*, Complex Variables, **12** (1989), 169–179.
- [19] E. Mues, G. Jank and L. Volkmann, *Meromorphe funktionen, die mit ihrer ersten und zweiten ableitung einen endichen wert teilen*, Complex Variables Theory Appl. **6** (1986), 51–71.
- [20] E. Mues and N. Steinmetz, *Meromorphe funktionen, die mit ihrer abelitung werte teilen*, Manuscripta Math. **29** (1979), 195–206.
- [21] H. Milloux, *Les fonctions méromorphes et leurs dérivées*, Paris, 1940.
- [22] S. S. Miller, *Complex analysis: Proceedings of the SUNY Brockport Conference*, Dekker, New York and Basel, 1978, p.169.

- [23] T. T. Moh, *On a certain group structure for polynomials*, Proc. Amer. Math. Soc., **82** (1981), 183–187.
- [24] K. Ninno and M. Ozawa, *Deficiencies of an entire algebroid function*, Kodai Math. Sem. Rep., **22** (1970), 98–113.
- [25] R. Nevanlinna, *Le théorème de Picard-Borel et la théorie des fonctions méromorphes*, Gauthiers-Villars, Paris, 1929.
- [26] R. Nevanlinna, *Einige eindueitigkeitssätze in der theorie der meromorphen funktionen*, Acta Math., **48** (1926), 367–391.
- [27] E. Picard. *Mémoire sur les fonctions entières*, Ann. École. Norm., **9** (1880), 145–166.
- [28] G. Pólya. *On an integral function of an integral function*, J. London Math. Soc., **1** (1926), p.12.
- [29] L. Ruble and C. C. Yang, *Values shared by entire functions and their derivatives*, Complex Analysis, Kentucky, 1976 (Berlin), Springer-Verlag, 1977, 101–103.
- [30] M. Reinders, *Eindeutigkeitssätze für meromorphe Funktionen, die vier Werte teilen*, PhD thesis, Universitat Hannover, 1990.
- [31] M. Reinders, *Eindeutigkeitssätze für meromorphe funktionen, die vier werte teilen*, Mitt. Math. Sem. Giessen, **200** (1991), 15–38.
- [32] M. Reinders, *A new example of meromorphic functions sharing four values and a uniqueness theorem*, Complex Variables, **18** (1992), 213–221.
- [33] N. Steinmetz, *Eine Verallgemeinerung des zweiten Nevanlinnaschen Hauptsatzes*, J. Reine Angew. Math., **368** (1986) 134–141.
- [34] S. P. Wang, *On meromorphic functions that share four values*, J. Math. Anal. Appl., **173** (1993), 359–369.

- [35] H. X. Yi and C. C. Yang, *Uniqueness theory of meromorphic functions*, Pure and Applied Math. Monographs No. 32, Science Press, Beijing, 1995.
- [36] C. C. Yang, *Some problems on polynomials and transcendental entire functions*, Adv. Math. (a Chinese Journal), **13** (1984), 1–3.
- [37] C. C. Yang. *On deficiencies of differential polynomials*, Math. Z., **116** (1970), 197–204.
- [38] L. Yang, *Value distribution theory*, Berlin Heidelberg: Springer-Verlag, Beijing:Science Press, 1993.
- [39] L. Z. Yang, *Solution of a differential equation and its applications*, Kodai Math. J. **22**(1990), No.3, 458–464.
- [40] Q. D. Zhang, *A uniqueness theorem for meromorphic functions with respect to slowly growing functions*, Acta Math. Sinica, **36**(6) (1993), 826–833.