

TABLE OF CONTENTS

CHAPTER 1	Introduction.....	1
1.1	Introduction	1
1.2	Background.....	2
1.2.1	IEEE 802.11 DCF (Distributed Coordination Function).....	2
1.2.2	IEEE 802.11e EDCA (Enhanced Distributed Channel Access).....	4
1.2.3	H.264/AVC (Advanced Video Codec).....	6
1.3	Motivation	9
CHAPTER 2	Related Works.....	11
2.1	Classification of cross-layer design for wireless multimedia.....	11
2.2	Transmission by signaling.....	11
2.3	Transmission by packet bursting.....	14
2.4	Transmission by TAR.....	15
2.5	Transmission by classification of video slice.....	17
2.6	Summary.....	19
CHAPTER 3	Proposed Mechanisms	21
3.1	Problem.....	21
3.2	Methodology.....	21
3.2.1	Get I/P/B information for slice to MAC layer.....	21
3.2.2	Don't waste too much time in backoff interval.....	22
3.2.3	Single-video multi-level queue.....	27
3.2.4	Hybrid mode.....	28
3.2.5	Calculate the retransmission time.....	31
CHAPTER 4	Simulation and Evaluation.....	35
4.1	Simulation.....	35
4.1.1	myEvalvid-NT	35
4.1.2	Scenario and parameter	36
4.1.3	Evaluation.....	37
4.2	Simulation results and analysis	38
CHAPTER 5	Conclusion and Future Work	56
5.1	Conclusion.....	56
5.2	Future work	56
References		58

LIST OF TABLES

Table 2.1: Configuration for different video streaming scenarios; the numbers refer to the paths in Figure 2.1.	13
Table 2.2: 802.11 (IBSS) MAC parameters.	18
Table 3.1: Access Category for IEEE 802.11e.	28
Table 3.2: IEEE 802.11a PHY Characteristics.	33
Table 3.3: IEEE 802.11b PHY Characteristics.	33
Table 3.4: IEEE 802.11a mode.	34
Table 3.5: IEEE 802.11b mode.	34
Table 4.1: PSNR and MOS.	38

LIST OF FIGURES

Figure 1.1: PSNR against bit-rate for different video codec.	2
Figure 1.2: The channel is idle for a DIFS interval before the transmission.....	3
Figure 1.3: The channel is busy during a DIFS interval before the transmission.	3
Figure 1.4: An example of collision.	4
Figure 1.5: Legacy 802.11 station and 802.11e station with four ACs within one station.	5
Figure 1.6: In EDCA, multiple backoff entities contend for medium access with different priorities in parallel. The earliest possible medium access time after a busy medium is DIFS.	6
Figure 1.7: Architecture of H.264/AVC.....	8
Figure 1.8: (a)(b)Slice without FMO and (c)slice group with FMO.....	9
Figure 1.9: Typical inter-coded video frame structure.....	10
Figure 2.1: (1) Channel state prediction used for link adaptation; (2) channel throughput prediction without considering medium sharing; (3) channel throughput prediction considering medium sharing.....	13
Figure 2.2: Throughput vs. SNR for some 802.11a modulation schemes.....	14
Figure 2.3: RTP header format.....	15
Figure 2.4: Transmission diagram of TS-DCF.....	15
Figure 2.5: Main idea of TAR.	16
Figure 2.6: Example of the TAR process.	17
Figure 2.7: Cross-layer QoS architecture.	19
Figure 3.1: MAC-centric cross-layer architecture.....	22
Figure 3.2: Packet retransmission for IEEE 802.11/802.11e.	23
Figure 3.3: Proposed packet retransmission.	24
Figure 3.4: Timebase for 802.11.	25
Figure 3.5: Foreman and Stefan.	26
Figure 3.6: Number of packets per video frame for Foreman.....	26
Figure 3.7: Number of packets per video frame for Stefan.....	27
Figure 3.8: Single-video multi-level queue.....	28
Figure 3.9: Hybrid design framework for IEEE 802.11e.	29
Figure 3.10: Hybrid mode for 802.11e.....	30
Figure 3.11: QoS framework of video streaming for IEEE 802.11e.....	31
Figure 4.1: myEvalvid-NT for H.264/AVC.	36

Figure 4.2: Proposed scenario.	37
Figure 4.3: Average packet loss rate for I packets against retry limit for Foreman.	40
Figure 4.4: Average packet loss rate for I packets against retry limit for Stefan.	40
Figure 4.5: Average packet loss rate for B packets against retry limit for Foreman.	40
Figure 4.6: Average packet loss rate for B packets against retry limit for Stefan.	41
Figure 4.7: Average packet loss rate for P packets against retry limit for Foreman.	41
Figure 4.8: Average packet loss rate for P packets against retry limit for Stefan.	42
Figure 4.9: Average packet loss rate for all packets against retry limit for Foreman.	42
Figure 4.10: Average packet loss rate for all packets against retry limit for Stefan.	43
Figure 4.11: Average invalid packet ratio for I packets against retry limit Foreman.	43
Figure 4.12: Average invalid packet ratio for I packets against retry limit for Stefan.	44
Figure 4.13: Average invalid packet ratio for B packets against retry limit for Foreman.	44
Figure 4.14: Average invalid packet ratio for B packets against retry limit for Stefan.	45
Figure 4.15: Average invalid packet ratio for P packets against retry limit for Foreman.	45
Figure 4.16: Average invalid packet ratio for P packets against retry limit for Stefan.	46
Figure 4.17: Average invalid packet ratio for all packets against retry limit for Foreman.	46
Figure 4.18: Average invalid packet ratio for all packets against retry limit for Stefan.	47
Figure 4.19: Average lost and invalid packet ratio for I packets against retry limit for Foreman.	47
Figure 4.20: Average lost and invalid packet ratio for I packets against retry limit for Stefan.	48
Figure 4.21: Average lost and invalid packet ratio for B packets against retry limit for Foreman.	48
Figure 4.22: Average lost and invalid packet ratio for B packets against retry limit for Stefan.	49
Figure 4.23: Average lost and invalid packet ratio for P packets against retry limit for Foreman.	49

Figure 4.24: Average lost and invalid packet ratio for P packets against retry limit for Stefan.	50
Figure 4.25: Average lost and invalid packet ratio for all packets against retry limit for Foreman.	50
Figure 4.26: Average lost and invalid packet ratio for all packets against retry limit for Stefan.	51
Figure 4.27: Average delay time against retry limit for Foreman.	51
Figure 4.28: Average delay time against retry limit for Stefan.	52
Figure 4.29: Average jitter against retry limit for Foreman.	52
Figure 4.30: Average jitter against retry limit for Stefan.	53
Figure 4.31: Average throughput against retry limit for Foreman.	53
Figure 4.32: Average throughput against retry limit for Stefan.	54
Figure 4.33: Average PSNR against retry limit for Foreman.	54
Figure 4.34: Average PSNR against retry limit for Stefan.	55