

六、參考文獻

1. Prabhakar G, Haan CK, Peterson ED, Coombs LP, Cruzzavala JL, Murray GF. The risks of moderate and extreme obesity for coronary artery grafting outcomes: a study from the society of Thoracic Surgeon`s database. *Ann Thorac Surg.* 2002; 74: 1125-31.
2. Ivert T, Sandberg E, Hammar N. Obesity doesn`t increase the risks of coronary surgery: results from a study of 7,248 patients who underwent the surgery. *Lakartidningen.* 2000; 97: 972-4.
3. Reeves BC, Ascione R, Chamberlain MH, Angelini GD. Effect of body mass index on early outcome in patients undergoing coronary artery bypass surgery. *J Am Coll Cardiol.* 2003; 42: 668-76.
4. Ruyun Jin, Grunkemeier GL, Furnary AP, Handy Jr JR. Is obesity a risk factor for mortality in coronary artery bypass surgery? *Circulation.* 2005; 111: 3359-65.
5. Mohan R, Amsel BJ, Walter PJ. Coronary artery bypass grafting in the elderly: a review of studies on patients older than 64, 69 or 74 years. *Cardiology.* 1992; 80: 21-25.
6. Peterson ED, Jollis JG, Bebbchuk JD. Changes in mortality after myocardial revascularization in the elderly: the national medical experience. *Ann Intern Med.* 1994; 121: 919-27.
7. Graham MM, Ghali WA, Faris PD, Galbraith PD, Norris CM, Knudtson ML. Survival after coronary revascularization in the elderly. *Circulation.* 2002; 105: 2378-84.
8. Zaidi AM, Fitzpatrick AP, Keenan DJM, Odom NJ, Grotte GJ. Good outcome from cardiac surgery in the over 70s. *Heart.* 1999; 82: 134-7.
9. Smith KM, Lamy A, Arthur HM, Gafni A, Kent R. Outcomes and costs of coronary artery bypass grafting: comparison between octogenarians and septuagenarians at a tertiary care center. *Can Med Asso J.* 2001; 165(6): 759-64.
10. Edwards FH, Carey JS, Grover FL, Bero JW, Hartz RS. Impact of gender on coronary bypass operative mortality. *Ann Thorac Surg.* 1998; 66: 125-31.
11. Hogue CW, Thoralf Sundt, Benico Barzilai, Schecthman KB, Dávila-Román VG. Cardiac and neurologic complications

- identify risks for mortality for both men and women undergoing coronary artery bypass graft surgery. *Anesthesiology*. 2001; 95: 1074-8.
12. Blankstein R, Ward RP, Arnsdrof M, Jones B, Lou YB, Pine M. Female gender is an independent predictor of operative mortality after coronary artery bypass graft surgery. *Circulation*. 2005; 112(suppl I): 323-7.
 13. Psaty BM, Heckbert SR, Koepsell TD. The risk of myocardial infarction associated with antihypertensive drug therapies. *JAMA*. 1995; 274: 620-5.
 14. Fuberg CD, Psaty BM, Meyer JV. Nifedipine: dose-related increase in mortality in patients with coronary artery disease. *Circulation*. 1995; 92: 1326-31.
 15. Weightman WM, Gibbs NM, Sheminant MR, Whitford EG, Mahon BD, Newman MAJ. Drug therapy before coronary artery surgery: nitrates are independent predictors of mortality and β -adrenergic blockers predict survival. *Anesth Analg*. 1999; 88: 286-91.
 16. Ferguson TB, Coombs LP, Peterson ED. Preoperative use β -blockers and mortality and morbidity following CABG surgery in North America. *JAMA*. 2002; 287: 2221-7.
 17. ten Broecke PWC, De Hert SG, Mertens E, Adriaensen HF. Effect of preoperative β -blockade on perioperative mortality in coronary surgery. *BJA*. 2003; 90(1): 27-31.
 18. DeFrances CJ, Hall MJ. 2002 National hospital discharge survey. *Adv Data*. 2004: 1-29.
 19. Gandhi GY, Nuttall GA, Abel MD, Mullany CJ, Schaff HV, Williams BA, Schrader LM, Rizza RA, Molly McMahan M. Intraoperative hyperglycemia and perioperative outcomes in cardiac surgery patients. *Mayo Clin Proc*. 2005; 80(7): 862-6.
 20. Morricone L, Rannucci M, Cazzaniga SDA, Isgró G, Enrini R, Caviezel F. Diabetes and complications after cardiac surgery: comparison with a non-diabetic population. *Acta Diabetol*. 1999; 36: 77-84.
 21. Braith RW, Welsch MA, Feigenbaum MS. Neuroendocrine activation in the heart failure is modified by endurance exercise training. *J Am Coll Cardiol*. 1999; 34: 1170-5.
 22. Dimopoulou I, Daganou M, Tsintzas OK. Effects of severity of

- long-standing congestive heart failure on pulmonary function. *Respir Med.* 1998; 92: 1321-25.
23. Johnson BD, Beck KC, Olson LJ, O'Malley KA, Allison TG, Squires RW, Gau GT. Pulmonary function in patients with reduced left ventricular function. Influence of smoking and cardiac surgery. *Chest.* 2001; 120: 1869-76.
 24. Mazzei V, Gallucci MT, Tozzo C. Renal function in patients undergoing cardiopulmonary bypass operations. *J Thorac Cardiovasc Surg.* 1992; 104: 1625-7.
 25. Mangano CM, Diamondstone LS, Ramsay JG. Renal dysfunction after myocardial revascularization: risk factors, adverse outcomes, and hospital resource utilization. *Ann Intern Med.* 1998; 128: 194-203.
 26. Ryckwaert F, Boccara G, Frappier JM, Colson PH. Incidence, risk factors, and prognosis of a moderate increase in plasma creatinine early after cardiac surgery. *Crit Care Med.* 2002; 30: 1495-8.
 27. Bechtel M, Fischlein T, Krabatsch T, Nägele H, Osswald B, Schönburg M, Scholz F, Stamm C, Stripling J, Sievers H, Bartels C. An analysis of the risk factors for perioperative mortality in patients with end-stage renal failure undergoing cardiac surgery: a multicenter study. *Thorac Cardiovasc Surg.* 2005; 53:
 28. Holmes JH, Connolly NC, Hill ME, Guyton SW, Hall RA. Magnitude of the inflammatory response to cardiopulmonary bypass and its relation to adverse clinical outcomes. *Inflamm Res.* 2002; 51: 579-86.
 29. Miller BE, Guzzetta NA, Tosone SR, Levy JH. Rapid evaluation of coagulopathies after cardiopulmonary bypass in children using modified thromboelastography. *Anesth Analg.* 2000; 90(6): 1324-30.
 30. Habib RH, Anwar Zacharias, Schwann TA, Riordan CJ, Milo Engoren, Durham SJ, Aamir Shah. Role of hemodilutional anemia and transfusion during cardiopulmonary bypass in renal injury after coronary revascularization: implications on operative outcome. *Crit Care Med.* 2005; 33: 1749-56.
 31. McSweeney ME, Susan Garwood, Jack Levin, Marino MR, Wang SX, David Kardatzke, Mangano DT, Wolman RL.

- Adverse gastrointestinal complications after cardiopulmonary bypass: can outcome be predicted from preoperative risk factors? *Anesth Analg*. 2004; 98: 1610-7.
32. Murkin JM. Etiology and incidence of brain dysfunction after cardiac surgery. *J Cardiothorac Vasc Anesth*. 1999; 13: 12-7.
 33. Reich DL, Bodian CA, Krol M, Kuroda M, Osinski T, Thys DM. Intraoperative hemodynamic predictors of mortality, stroke, and myocardial infarction after coronary artery bypass surgery. *Anesth Analg*. 1999; 89: 814-22.
 34. Geraci JM, Johnson ML, Gordon HS, Peterson NJ, Laurie Shroyer A, Grover FL, Wray NP. Mortality after cardiac bypass surgery prediction from administrative versus clinical data. *Med Care*. 2005; 43: 149-58.
 35. Coronary artery bypass surgery in New York state: 1989-1991. Albany, NY: New York State Department of Health; 1992.
 36. Coronary artery bypass surgery in New York state: 1997-1999. Albany, NY: New York State Department of Health; 2002.
 37. Hannan EL, Wu C, Ryan TJ, Edward Bennett, Culliford AT, Gold JP, Alan Hartman, Wayne Isom O, Jones RH, Barbara Neneil, Rose EA, Subramanian VA. Do hospitals and surgeries with higher coronary artery bypass graft volumes still have lower risk-adjusted mortality rates? *Circulation*. 2003; 108: 795-801.
 38. Nalysnyk L, Fahrbach K, Reynolds MW, Zhao SZ, Ross S. Adverse events in coronary artery bypass graft (CABG) trials: a systemic review and analysis. *Heart*. 2003; 89: 767-72.
 39. Brezis M, Rosen S, Epstein FH. Acute renal failure due to ischemia (acute tubular necrosis). In Lazarus JM, Brenner BM eds. *Acute renal failure*, third edition. New York: Churchill Livingstone. 1993: 207-9.
 40. Bahar I, Akgul A, Ozatik MA, Demirbag AE, Boran M, Tademir O. Acute renal failure following open heart surgery: risk factors and prognosis. *Perfusion*. 2005; 20: 317-22.
 41. Carrascal Y, Guerrero AL, Maroto LC. Neurological complications after cardiopulmonary bypass: an update. *Eur Neurol*. 1999; 41: 128-34.
 42. Craver JM, Puskas JD, Weintraub WW. 601 octogenarians undergoing cardiac surgery: outcomes and comparison with

- younger age groups. *Ann Thorac Surg.* 1999; 67: 1104-10.
43. Ganushchak YM, Fransen EJ, Cees Visser, de Jong DS, Maessen JG. Neurological complications after coronary artery bypass grafting related to the performance of cardiopulmonary bypass. *Chest.* 2004; 125: 2196-2205.
 44. Hogue CW, Murphy SF, Schechtman KB, Dávila-Román VG. Risk factors for early or delayed stroke after cardiac surgery. *Circulation.* 1999; 100(6): 642-7.
 45. Hogue CW, De Wet CJ, Schechtman KB, Dávila-Román VG. The importance of prior stroke for the adjusted risk of neurologic injury after cardiac surgery for women and men. *Anesthesiology.* 2003; 98: 823-9.
 46. Hulzebos EHJ, Meeteren NLV, Bie RAD, Dagnelie PC, Helders PJM. Prediction of postoperative pulmonary complications on the basis of preoperative risk factors in patients who had undergone coronary artery bypass graft surgery. *Phys Ther.* 2003; 83: 8-16.
 47. Hensley, Jr. FA, Martin DE, Gravlee GP. A practical approach to cardiac anesthesia. 3rd eds. 2003 by Lippincott Williams & Wilkins.
 48. Christenson JT, Simonet F, Badel P, Schmuziger M. Evaluation of preoperative intra-aortic balloon pump support in high risk coronary patients. *Eur J Cardio-thorac Surg.* 1997; 11: 1097-1103.
 49. Joseph D, Christophe D, Hugo E, Walter D, Stefan J. Survival of patients treated with intra-aortic balloon counterpulsation for cardiogenic shock in a tertiary centre: variables correlated with death. *Eur J Emer Med.* 2003; 10: 213-8.
 50. Geissler HJ, Sascha PH, Kuhn-Régnier F, Mehlhorn U, Südkamp M, Rainer de Vivie. Risk stratification in heart surgery/: comparison of six score systems. *Eur J Cardio-Thorac Surg.* 2000; 17: 400-6.
 51. Parsonnet V, Dean D, Bernstein AD. A method of uniform stratification of risk for evaluating the results of surgery in acquired adult heart disease. *Circulation.* 1989; 79(suppl I): 3-12.
 52. Tuman KJ, McCarthy RJ, March RJ, Hassan N, Ivankovich AD. Morbidity and duration of ICU stay after cardiac surgery. *Chest.*

1992; 102: 36-44.

53. Tu JV, Jaglal SB, Naylor D. Multicenter validation of a risk index for mortality, intensive care unit stay, and overall hospital length of stay after cardiac surgery. *Circulation*. 1995; 91: 677-84.
54. Nashef SAM, Roques F, Michel P, Gauducheau E, Lemeshow S, Salamon R. European system for cardiac operative risk evaluation. *Eur J Cardio-Thorac Surg*. 1999; 16: 9-13.
55. Nashef SAM, Roques F, Hammill BG, Peterson ED, Michel P, Grover FL, Wyse RKH, Bruce Ferguson T. Validation of European system for cardiac operative risk evaluation (EuroSCORE) in north American cardiac surgery. *Eur J Cardio-Thorac Surg*. 2002; 22: 101-5
56. Dupuis JY, Wang F, Nathan H, Lam M, Grimes S, Bourke M. The cardiac anesthesia risk evaluation score. *Anesthesiology*. 2001; 94: 194-204.
57. Quattara A, Niculescu M, Ghazouani S, Babolian A, Landi M, Lecomte P, Boccara G, Varnous S, Lep rince P, Riou B, Coriat P. Predictive performance and variability of the cardiac anesthesia risk evaluation score. *Anesthesiology*. 2004; 100: 1405-10.
58. Zaugg M, Tagliente T, Lucchinetti E, *et al*. Beneficial effects from β -adrenergic blockade in elderly patients undergoing noncardiac surgery. *Anesthesiology*. 1999; 91: 1674-86.
59. Warltier DC, β -adrenergic-blocking drugs, incredibly useful, incredibly underutilized. *Anesthesiology*. 1998; 88: 2-5.