

Reference

- [1] Alexandre Evfimievski, Ramakrishnan Srikant, Rakesh Agrawal, Privacy preserving mining of association rules, Information System, 29 (2004) 343-364.
- [2] Bernd Vindevogel, Dirk Van den Poel, Geert Wets, Why promotion strategies based on market basket analysis do not work, Expert System with Application , 28 (2005) 583-590.
- [3] Bing Liu, Wynne Hsu, Yiming Ma, Mining Association Rules with Multiple Minimum Supports, ACM SIGKDD International Conference in Knowledge Discovery & Data Mining, San Diego, CA, USA, August 15-18 (1999).
- [4] Brian Lent, Arun Swami, Jennifer Widom, Clustering Association Rules, 13th International Conference on Data Engineering, (1997).
- [5] Chris Rygielski, Jyun-Cheng Wang, David C. Yen, Data mining techniques for customer relationship management, Technology in Society, 24 (2002) 483-502.
- [6] David Hand, Heikki Mannila, Padhraic Smyth, Principles of Data Mining, (2001), London, 427-448.
- [7] Guoqing Chen, Qiang Wei, Fuzzy association rules and the extended mining algorithms, Information Sciences, 147 (2002) 201-228
- [8] Honghun Lu, Ling Feng, Jiawei Han, Beyond Intratransaction Association Analysis: Mining Multidimensional Intertransaction Association Rules, ACM Transactions on Information System, 18(4) (2000) 423-454.
- [9] Jiawei Han, Guozhu Dong, Yiwen Yin, Efficient Mining of Partial Periodic Patterns in Time Series Database, Proceedings of the 15th International Conference on Data Engineering, (1995)106-115.
- [10] Jiawei Han, Wan Gong, Yiwen Yin, Mining Segment-Wise Periodic Patterns in Time-Related Databases, International Conference on Knowledge Discovery and

Data Mining, New York City, NY, August (1998).

- [11] Jiawei Han, Yiwen Yin, Mining frequent patterns without candidate generation, Proceedings of the ACM-SIGMOD International Conference on Management of Data, Dallas, TX, May (2000).
- [12] Jiawei Han, Yongjian Fu, Dynamic Generation and Refinement of Concept Hierarchies for Knowledge Discovery in Database, AAAI'94 Workshop on knowledge Discovery in Databases, 157-168, Seattle, WA, July (1994).
- [13] Jiawei Han, Yongjian Fu, Discovery of Multiple-Level Association Rules from Large Databases, Proceedings of the 21th International conference on Very Large Database, Zurich, Switzerland, (1995).
- [14] Jiawei Han, Micheline Kamber, Data Mining – concepts and techniques, San Francisco, Morgan Kaufmann, (2001).
- [15] Jiawei Han, Yongjian Fu, Dynamic Generation and Refinement of Concept Hierarchies for Knowledge Discovery in Databases, KDD Workshop, Seattle, Washington, USA, (1994).
- [16] Johan de Kleer, An Assumption-based TMS, Artificial Intelligence, 28(2)(1986)127-162.
- [17] Johan de Kleer, Extending the ATMS, Artificial Intelligence, 28(2) (1986) 163-196.
- [18] Johan de Kleer, Problem Solving with the ATMS, Artificial Intelligence, 28(2) (1986) 197-224.
- [19] Johan de Kleer, Brian C. Williams, Diagnosing Multiple Faults, Artificial Intelligence, 32(1) (1987) 97-130.
- [20] Kenneth D. Forbus, QPE: Using assumption-based truth maintenance for qualitative simulation, Artificial Intelligence in Engineering, 3(4) (1988) 85-168.

- [21] Pauray S.M. Tasi, Chien-Ming Chen, Mining interesting association rules from customer databases and transaction databases, Information Systems, 29 (2004) 685-696.
- [22] Rakesh Agrawal, John C. Shafer, Parallel Mining of Association Rules, IEEE Transactions on Knowledge and Data Engineering, 8(6) (1996) 962-969.
- [23] Rakesh Agrawal, Ramakrishnan Srikant, Fast algorithms for mining association rules in large databases, Proceedings of the International Conference on Very Large Data Bases, (1994) 487 – 499.
- [24] Ramakrishnan Srikant, Rakesh Agrawal, Mining Generalized Association Rules, Proceedings of the 21th VLDB Conference, Zurich, Swizerland, (1995).
- [25] Ramakrishnan Srikant, Rakesh Agrawal, Mining Quantitative Association Rules in Large Relational Tables, Proceedings of the ACM-SIGMOD 1996 Conference on Management of Data, Montreal, Canada, June (1996) 1-12.
- [26] Roberto J. Bayaede Jr., Rakesh Agrawal, Mining the most interesting rules, Proceedings of the 5th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, August (1999) 145-154.
- [27] Sergey Brin, Rajeev Motwani, Jeffrey D. Ullman, Shalom Tsur, Dynamic Itemset Counting and Implication Rules for Market Basket Data, Proceedings ACM SIGMOD international Conference on Management of Data, (1997) 255-264.
- [28] Sheng Ma, Joseph L. Hellerstein, Mining Mutually Depaendent Patterns, IEEE International Conference in Data Mining, (2001).
- [29] Dirk Van den Poel, Jan De Schamphelaere, Geert Wets, Direct and indirect effects of retail promotions, Expert Systems with Applications, 27(1) (2004) 53-62.

- [30] Wei Wang, Jiong Yang, Richard Muntz, Tempoeal Association Rules with Numerical Attributes, Proceedings of the 17th International Conference on Data Engineering, (2001) 283-292.
- [31] William J. Frawley, Gregory Piatetsky-Shapiro, Christopher J. Matheus, Knowledge discovery in database: An overview, Knowledge discovery in Database, (1991) 1-27
- [32] Yen-Liang Chen, Kwei Tang, Ren-Jie Shen, Ya-Han Hu, Market basket analysis in a multiple store environment, Decision Support System, 40(2) (2005) 339-354.
- [33] Yingjiu Li, Peng Ning, X. Sean Wang, Sushil Jajodia, Discovering calendar-based temporal association rules, Data & Knowledge Engineering 44 (2003) 193-218.
- [34] 姜國揮, 黃惠卿, 資訊科技在共同行銷應用之研究 ~ 以銀行與保障業務為例, 1994.9.