

參考文獻

中文部分：

林一真 (民 89)。貝克焦慮量表 (BAI: 1993 年版) 中文版指導手冊。台北市：中國行為科學社。

陳心怡 (民 89)。貝克憂鬱量表第二版 (BDI-II) 中文版指導手冊。台北市：中國行為科學社。

英文部分：

- Achermann, P., Werth, E., Dijk, D. J., & Borbely, A. A. (1995). Time course of sleep inertia after nighttime and daytime sleep episodes. *Archives Italiennes De Biologie, 134*, 109-119.
- Akerstedt, T., & Gillberg, M. (1990). Subjective and objective sleepiness in the active individual. *The International Journal of Neuroscience, 52*, 29-37.
- Amara, C. E., & Wolfe, L. A. (1998). Reliability of noninvasive methods to measure cardiac autonomic function. *Canadian Journal of Applied Physiology, 23*, 396-408.
- Armentrout, J. J., Holland, D. A., O'Toole, K. J., & Ercoline, W. R. (2006). Fatigue and related human factors in the near crash of a large military aircraft. *Aviation, Space, and Environmental Medicine, 77*, 963-970.
- Arnedt, J. T., Owens, J., Crouch, M., Stahl, J., & Carskadon, M. A. (2005). Neurobehavioral performance of residents after heavy night call vs after alcohol ingestion. *The Journal of the American Medical Association, 294*, 1025-1033.
- Balch, W. R., & Lewis, B. S. (1999). Music-dependent memory: The roles of tempo changes and mood mediation. *Journal of Experimental Psychology: Learning, Memory, & Cognition, 22*, 1354-1363.
- Balkin, T. J., Braun, A. R., Wesensten, N. J., Jeffries, K., Varga, M., Baldwin, P., et al. (2002). The process of awakening: a PET study of regional brain activity patterns mediating the re-establishment of alertness and consciousness. *Brain, 125*, 2308-2319.
- Blood, A. J., Zatorre, R. J., Bermudez, P., & Evans, A. C. (1999). Emotional responses to pleasant and unpleasant music correlate with activity in paralimbic brain regions. *Nature Neuroscience, 2*, 382-387.
- Bonnet, M. H., & Arand, D. L. (2000). The impact of music upon sleep tendency as

- measured by the multiple sleep latency test and maintenance of wakefulness test. *Physiology & Behavior*, *71*, 485-492.
- Borbely, A. A. (1982). A two process model of sleep regulation. *Human Neurobiology*, *1*, 195-204.
- Bradley, M. M., & Lang, P. J. (1994). Measuring emotion: the Self-Assessment Manikin and the Semantic Differential. *Journal of Behavior Therapy and Experimental Psychiatry*, *25*, 49-59.
- Broughton, R. (1968). Sleep disorder: disorders of arousal? *Science*, *159*, 1070-1078.
- Brown, S., Martinez, M. J., & Parsons, L. M. (2004). Passive music listening spontaneously engages limbic and paralimbic systems. *Neuroreport*, *15*, 2033-2037.
- Bruck, D., & Pisani, D. L. (1999). The effects of sleep inertia on decision-making performance. *Journal of Sleep Research*, *8*, 95-103.
- Cuthbert, B. N., Schupp, H. T., Bradley, M. M., Birbaumer, N., & Lang, P. J. (2000). Brain potentials in affective picture processing: covariation with autonomic arousal and affective report. *Biological Psychology*, *52*, 95-111.
- Dawson, M. E., Schell, A. M., & Fillion, D. L. (2007). The electrodermal system. In J. T. Cacioppo, L. G. Tassinary & G. C. Berntson (Eds.), *Handbook of psychophysiology* (3rd ed., pp. 159-181). Cambridge, MA: Cambridge University Press.
- Dinges, D. F. (1990). Are you awake? Cognitive performance and reverie during the hypnopompic state. In R. Bootzin, J. Kihlstrom & D. Schacter (Eds.), *Sleep and cognition* (pp. 159-175). Washington DC: American Psychological Association.
- Dinges, D. F., Orne, M. T., & Orne, E. C. (1985). Assessing performance upon abrupt awakening from naps during quasi-continuous operations. *Behavior Research Methods, Instruments & Computers*, *17*, 37-45.
- Felton, M., & Broughton, R. (1968). Differential effects of arousal from slow wave versus REM sleep. *Psychophysiology*, *5*, 231.
- Ferrara, M., Curcio, G., Fratello, F., Moroni, F., Marzano, C., Pellicciari, M. C., et al. (2006). The electroencephalographic substratum of the awakening. *Behavioural Brain Research*, *167*, 237-244.
- Ferrara, M., & De Gennaro, L. (2000). The sleep inertia phenomenon during the sleep-wake transition: theoretical and operational issues. *Aviation, Space, and Environmental Medicine*, *71*, 843-848.
- Ferrara, M., De Gennaro, L., Ferlazzo, F., Curcio, G., Barattucci, M., & Bertini, M. (2001). Auditory evoked responses upon awakening from sleep in human subjects. *Neuroscience Letters*, *310*, 145-148.

- Folkard, S., & Akerstedt, T. (1992). A three-process model of the regulation of alertness-sleepiness. In R. Ogilvie & R. Broughton (Eds.), *Sleep, arousal and performance* (pp. 11-26). Boston: Birkhouse.
- Gabrielsson, A. (2001). Emotions in strong experiences with music. In P. N. Juslin & J. A. Sloboda (Eds.), *Music and emotion: theory and research* (pp. 431-449). Oxford, UK: Oxford University Press.
- Gillberg, M., Kecklund, G., & Akerstedt, T. (1994). Relations between performance and subjective ratings of sleepiness during a night awake. *Sleep, 17*, 236-241.
- Hajak, G., Klingelhofer, J., Schulz-Variszegi, M., Matzander, G., Sander, D., Conrad, B., et al. (1994). Relationship between cerebral blood flow velocities and cerebral electrical activity in sleep. *Sleep, 17*, 11-19.
- Hayashi, M., Fukushima, H., & Hori, T. (2003). The effects of short daytime naps for five consecutive days. *Sleep Research Online, 5*, 13-17.
- Hayashi, M., Masuda, A., & Hori, T. (2003). The alerting effects of caffeine, bright light and face washing after a short daytime nap. *Clinical Neurophysiology, 114*, 2268-2278.
- Hayashi, M., Uchida, C., Shoji, T., & Hori, T. (2004). The effects of the preference for music on sleep inertia after a short daytime nap. *Sleep and Biological Rhythms, 2*, 184-191.
- Hofer-Tinguely, G., Achermann, P., Landolt, H. P., Regel, S. J., Retey, J. V., Durr, R., et al. (2005). Sleep inertia: performance changes after sleep, rest and active waking. *Brain Research, 22*, 323-331.
- Husain, G., Thompson, W. F., & Schellenberg, E. G. (2002). Effect of musical tempo and mode on arousal, mood and spatial abilities. *Music Perception, 20*, 151-171.
- Iwanaga, M., Kobayashi, A., & Kawasaki, C. (2005). Heart rate variability with repetitive exposure to music. *Biological Psychology, 70*, 61-66.
- Jewett, M. E., & Kronauer, R. E. (1999). Interactive mathematical models of subjective alertness and cognitive throughput in humans. *Journal of Biological Rhythms, 14*, 588-597.
- Jewett, M. E., Wyatt, J. K., Ritz-De Cecco, A., Khalsa, S. B., Dijk, D. J., & Czeisler, C. A. (1999). Time course of sleep inertia dissipation in human performance and alertness. *Journal of Sleep Research, 8*, 1-8.
- Kaida, K., Takahashi, M., Akerstedt, T., Nakata, A., Otsuka, Y., Haratani, T., et al. (2006). Validation of the Karolinska sleepiness scale against performance and EEG variables. *Clinical Neurophysiology, 117*, 1574-1581.
- Khalfa, S., Isabelle, P., Jean-Pierre, B., & Manon, R. (2002). Event-related skin conductance responses to musical emotions in humans. *Neuroscience Letters*,

328, 145-149.

- Kleitman, N. (1963). *Sleep and wakefulness* (2nd ed.). Chicago, IL: University of Chicago Press.
- Knight, W. E., & Rickard, N. S. (2001). Relaxing music prevents stress-induced increases in subjective anxiety, systolic blood pressure, and heart rate in healthy males and females. *Journal of Music Therapy, 38*, 254-272.
- Krauchi, K., Cajochen, C., Werth, E., & Wirz-Justice, A. (1999). Warm feet promote the rapid onset of sleep. *Nature, 401*, 36-37.
- Krauchi, K., Cajochen, C., & Wirz-Justice, A. (2004). Waking up properly: is there a role of thermoregulation in sleep inertia? *Journal of Sleep Research, 13*, 121-127.
- Krauchi, K., Cajochen, C., & Wirz-Justice, A. (2005). Thermophysiological aspects of the three-process-model of sleepiness regulation. *Clinics in Sports Medicine, 24*, 287-300, ix.
- Kuboyama, T., Hori, A., Sato, T., Mikami, T., Yamaki, T., & Ueda, S. (1997). Changes in cerebral blood flow velocity in healthy young men during overnight sleep and while awake. *Electroencephalography and Clinical Neurophysiology, 102*, 125-131.
- Lockley, S. W., Evans, E. E., Scheer, F. A., Brainard, G. C., Czeisler, C. A., & Aeschbach, D. (2006). Short-wavelength sensitivity for the direct effects of light on alertness, vigilance, and the waking electroencephalogram in humans. *Sleep, 29*, 161-168.
- Malik, M. (1996). Heart rate variability: standards of measurement, physiological interpretation, and clinical use. *Circulation, 93*, 1043-1065.
- Matchock, R. L., & Mordkoff, J. T. (2007). Visual attention, reaction time, and self-reported alertness upon awakening from sleep bouts of varying lengths. *Experimental Brain Research, 178*, 228-239.
- Meyer, J., Ishikawa, Y., Hata, T., & Karacan, I. (1987). Cerebral blood flow in normal and abnormal sleep and dreaming. *Brain and Cognition, 6*, 266-294.
- Monk, T. H. (1989). A Visual Analogue Scale technique to measure global vigor and affect. *Psychiatry Research, 27*, 89-99.
- Muzet, A., Nicolas, A., Tassi, P., Dewasmes, G., & Bonneau, A. (1995). Implementation of napping in industry and the problem of sleep inertia. *Journal of Sleep Research, 4*, 67-69.
- Naitoh, P., Kelly, T., & Babkoff, H. (1993). Sleep inertia: best time not to wake up? *Chronobiology International, 10*, 109-118.
- Nakamura, S., Sadato, N., Oohashi, T., Nishina, E., Fuwamoto, Y., & Yonekura, Y. (1999). Analysis of music-brain interaction with simultaneous measurement of

- regional cerebral blood flow and electroencephalogram beta rhythm in human subjects. *Neuroscience Letters*, 275, 222-226.
- Peretz, I., & Zatorre, R. J. (2005). Brain organization for music processing. *Annual Review of Psychology*, 56, 89-114.
- Platel, H., Price, C., Baron, J. C., Wise, R., Lambert, J., Frackowiak, R. S., et al. (1997). The structural components of music perception. A functional anatomical study. *Brain*, 120 229-243.
- Popescu, M., Otsuka, A., & Ioannides, A. A. (2004). Dynamics of brain activity in motor and frontal cortical areas during music listening: a magnetoencephalographic study. *Neuroimage*, 21, 1622-1638.
- Rechtschaffen, A., & Kales, A. (1968). *A manual of standardized terminology, techniques and scoring system for sleep stages of human subjects*. Washington, DC: US Government Printing Office.
- Rickard, N. S., Toukhsati, S. R., & Field, S. E. (2005). The effect of music on cognitive performance: insight from neurobiological and animal studies. *Behavioral and Cognitive Neuroscience Reviews*, 4, 235-261.
- Rigg, M. G. (1937). An experiment to determine how accurately college students can interpret the intended meanings of musical compositions. *Journal of Experimental Psychology*, 21, 223-229.
- Roehrs, T., Burduvali, E., Bonahoom, A., Drake, C., & Roth, T. (2003). Ethanol and sleep loss: a "dose" comparison of impairing effects. *Sleep*, 26, 981-985.
- Sandercock, G. R., Bromley, P. D., & Brodie, D. A. (2005). The reliability of short-term measurements of heart rate variability. *International Journal of Cardiology*, 103, 238-247.
- Scheer, F. A., Shea, T. J., Hilton, M. F., & Shea, S. A. (2008). An Endogenous Circadian Rhythm in Sleep Inertia Results in Greatest Cognitive Impairment upon Awakening during the Biological Night. *Journal of Biological Rhythms*, 23, 353-361.
- Schellenberg, E. G., Nakata, T., Hunter, P. G., & Tamoto, S. (2007). Exposure to music and cognitive performance: Tests of children and adults. *Psychology of Music*, 35, 5-19.
- Stampi, C., Mullington, J., Rivers, M., Campos, J. P., & Broughton, R. (1990). Ultrashort sleep schedules: Sleep architecture and recuperative value of 80-, 50- and 20-min naps. In J. Horne (Ed.), *Sleep' 90* (pp. 71-74). Bochum: Pontenagel Press.
- Stones, M. J. (1977). Memory performance after arousal from different sleep stages. *British Journal of Psychology*, 68, 177-181.
- Takahashi, M., & Arito, H. (1998). Sleep inertia and autonomic effects on post-nap

- P300 event-related potential. *Industrial Health*, 36, 347-353.
- Tassi, P., Bonnefond, A., Engasser, O., Hoefl, A., Eschenlauer, R., & Muzet, A. (2006). EEG spectral power and cognitive performance during sleep inertia: the effect of normal sleep duration and partial sleep deprivation. *Physiology & Behavior*, 87, 177-184.
- Tassi, P., & Muzet, A. (2000). Sleep inertia. *Sleep Medicine Reviews*, 4, 341-353.
- Tassi, P., Nicolas, A., Dewasmes, G., Eschenlauer, R., Ehrhart, J., Salame, P., et al. (1992). Effects of noise on sleep inertia as a function of circadian placement of a one-hour nap. *Perceptual and Motor Skills*, 75, 291-302.
- Tebbs, R., & Foulkes, D. (1966). Strength of grip following different stages of sleep. *Perceptual and Motor Skills*, 23, 827-834.
- Thayer, J. F., & Faith, M. L. (2001). A dynamic systems model of musically induced emotions. Physiological and self-report evidence. *Annals of the New York Academy of Sciences*, 930, 452-456.
- Van Dongen, H. P., Price, N. J., Mullington, J. M., Szuba, M. P., Kapoor, S. C., & Dinges, D. F. (2001). Caffeine eliminates psychomotor vigilance deficits from sleep inertia. *Sleep*, 24, 813-819.
- Webb, W. B., & Agnew, H. (1964). Reaction Time and Serial Response Efficiency on Arousal from Sleep. *Perceptual and Motor Skills*, 18, 783-784.
- Wertz, A. T., Ronda, J. M., Czeisler, C. A., & Wright, K. P., Jr. (2006). Effects of sleep inertia on cognition. *The Journal of the American Medical Association*, 295, 163-164.
- Wesensten, N. J., & Badia, P. (1987). Changes in P300 amplitude following nocturnal sleep. *Psychophysiology*, 24, 621.
- Wilkinson, R. T., & Stretton, M. (1971). Performance after awakening at different times of night. *Psychonomic Science*, 23, 283-285.